TYPE OR PRINT IN BLACK INK (For instructions, see booklet: "How to File an Application to Appropriate Water in California")

California Environmental Protection Agency

State Water Resources Control Board Division of Water Rights P.O. Box 2000, Sacramento, CA 95812-2000 APP 23 Tel: (916) 341-5300 Fax: (916) 341-5400 www.waterrights.ca.gov

12330-130

Page 1 of

APPLICATION NO.

(leave blank)

APPLICANT	AGENT							
APPLICANT/AGENT								
		APPLICAN	NT		ASSIGN	VED AGENT (if:	REVIC my)	1
Name	BRENT + E	LIZABE	TH NELSO	N			^ 3	V
						Ş	33	
Mailing Address	65 I DORA A	YENUE			·	\$Q		3
City, State & Zip	SAN FRANCIS		94127		<u> </u>		ယ	
Telephone	415. 731. 97	•				Ď.	70	:
Fax	415. 731. 97				<u> </u>	ôz	~ ~	
E-mail	BRENT-NELS		GLOBAL. N	ET		궁	ည	<u></u>
PROJECT DE	•	Business Troint Ventu Provide a de begraded	ire etailed descrir	, and how the	Other oroject, inclu water will b	e used.)		
LACRES AS LACRES AS LACRES AS LACRES VINE FOT COntinuation,	THE POMESTIC THE POMESTIC THE POMESTIC THE POMESTIC TAKN ON THE PE see Attachment No.	RESERVOI TORED L CUSE FOR COUSTS C	IRS ON THE SURFACE RU HATER TEAR L'THE ERISTIN DE APROX.	ROWN & L ROWN & L SE HOUSE A PACRES O	NORFLANGE	AN UNGBEGERS	A SON	1 <u>2</u> 2W
LACRES AS SUPPLIES FOR COntinuation, URPOSE OF	THO EXISTING R TS AS A SILT P ND PROVIDES S THE POMESTIC EARD ON THE PE	RESERVOI COUPER FOR COSE	IRS ON THE SURFACE RU MATER TEAR MATER T	ROWN & L ROWN & L SE HOUSE A PACRES O	NORFLANGE	DAN WID + AN WORK SENS E THE SULL DES TO SMAC	2. d	<u>ا ک</u> دنما را
LACRES AS SUPPLIES FOR COntinuation, URPOSE OF A PURPOSE OF USE	THO EXISTING R TS AS A SILT P ND PROVIDES S THE POMESTIC EARD ON THE PE See Attachment No. I USE, DIVERSION	CON/STO	IRS ON THE SYMPACE RU HATER TEAR LIFE ERISTING DE APROX. RAGE AMO	ROWN & L ROWN & L S. HOUSE /A P. ACRES. C	NOCELLAS DE SEASON	STORAGE	2. d HD SPE US FOX MAL ST	1 Z
LACRES AS ACRES AS AC	THE POWESTING RESTRICT PROVIDES SET THE POWESTING PROVIDES SEE Attachment No. I	CON/STO	ARGE AMO DIVERSION Beginning date	ROWD TO LESS OF ACRES OF DIVERSION DIVERSION DIVERSION	SEASON AMOUNT	STORAGE SEASON OF	2. 4 WA FOX WAL 57	Z Z X S
LACRES AS LACRES	THE POMESTICE TH	CON/STO	IRS ON THE SYNFACE RU HATER TEM LATER TEM LATE	ROWD TO LESS OF ACRES OF DIVERSION	SEASON AMOUNT Acre-feet per annum	STORAGE SEASON OF (month & day)	COLLECTION (month)	TIO dat
LACRES AS SUPPLIES FOR CONTINUATION, URPOSE OF A PURPOSE OF USE (irrigation, domestic, supplies) EXISTING COMESTIC USE UTURE	THE POMESTICE SEE ATTACHMENT NO. I USE, DIVERSION CASPON PROVINGE AMOU Color or god)*	CON/STO	ARGE AMO DIVERSION Beginning date	ROWD TO LESS OF ACRES OF DIVERSION DIVERSION DIVERSION	SEASON AMOUNT ACCE-feet per annum	STORAGE SEASON OF Beginning date (month & day)	COLLECTION MAY	IZ KW KG
LACRES AS SUPPLIES FOR COntinuation, URPOSE OF	THE POMESTICE SEE ATTACHMENT NO. I USE, DIVERSION CASPON PROVINGE AMOU Color or god)*	CON/STO	ARGE AMO DIVERSION Beginning date	ROWD TO LESS OF ACRES OF DIVERSION DIVERSION DIVERSION	SEASON AMOUNT Acre-feet per annum	STORAGE SEASON OF (month & day)	COLLECTION (month)	TIO
LACRES AS SUPPLIES FOR CONTINUATION, URPOSE OF A PURPOSE OF USE (irrigation, domestic, supplies) EXISTING COMESTIC USE UTURE	THE POMESTICE SEE ATTACHMENT NO. I USE, DIVERSION CASPON PROVINGE AMOU Color or god)*	CON/STO	ARGE AMO DIVERSION Beginning date	ROWD TO LESS OF ACRES OF DIVERSION DIVERSION DIVERSION	SEASON AMOUNT ACCE-feet per annum	STORAGE SEASON OF Beginning date (month & day)	COLLECTION MAY	IZ KW KG
ACRES	THE POWESTICE SEE Attachment No. I USE, DIVERSION (also or gpd)* Total afa = 1	CON/STO	RAGE AMO DIVERSION SEASON OF Beginning date (month & day)	ROWN TO LEAST OF THE ACRES OF ACRES OF THE A	SEASON AMOUNT Acresteet per annum 1.4:0	STORAGE SEASON OF Beginning date (month & day) OCT. 15	COLLECT Ending (month)	IZ KW KG
LACRES AS LACRES	THE PROVIDES SETHE PROVIDES SETHE PROVIDES SETHE PROVIDES SETHE PROVIDES SETHE PROVIDES SETHE PROVIDED SETHE SEE Attachment No. I WEE, DIVERSION (elso or gpd)* Total afa = 1	CON/STO	RAGE AMO DIVERSION SEASON OF Beginning date (month & day) * If rate is less	ROWN T L ROWN T L ROWN T L RACKES O DUNT AND DIVERSION Briding date (month & day) Total afa = than 0.025 cubic	SEASON AMOUNT Acre-feet per annum 1.40 12.95 feet per second (c	STORAGE SEASON OF Beginning date (month & day) OCT. 15 (5), use gallons per	COLLECT Ending (month)	XG XG
ACRES AS LACRES LACRES RESERVOIR STORE COUnty in which county in which lacres as Lacres La	Total afa = 2 In Existing R The Provines 2 AMOU etc.) Rate (effor gpd)* Total afa = 2 In amount taken by ge is: To onstream the diversion is local	ON/STO	RAGE AMO DIVERSION SEASON OF Beginning date (month & day) * If rate is less ersion and store earn under	DIVERSION DIVERS	SEASON AMOUNT Acre-feet per annum Acre-feet per annum your your warnum of the per annum feet per second (c. y. one year w. d. acre-feet)	STORAGE SEASON OF Beginning date (month & day) OCT. 15 fs), use gallons per fill be 12.9	COLLECTION AND AND ACTE ACTE ACTE ACTE ACTE ACTE ACTE ACTE	FIO date & date
ACRES ACRES ACRES ACRES AND ACRES AN	TOTAL AFILT PROVIDES SET THE POMESTIC SEE Attachment No. I USE, DIVERSION Rate (effor gpd)* Total afa = 300 amount taken by ge is: Total onstream	CON/STO	RAGE AMO DIVERSION SEASON OF Beginning date (month & day) * If rate is less ersion and store earn [] under OMA. (ON/REDIVI ints of Rediver.)	DIVERSION Ending date (month & day) Total afa = than 0.025 cubic age during an ground (If uncounty in which is a single of the county in which is a single	SEASON AMOUNT Acre-feet per annum Acre-feet per	STORAGE SEASON OF Beginning date (month & day) OCT. 15 fs), use gallons per fill be 12.9 ge, attach Form A 1 be used: SC	COLLECTION AND AND AND AND AND AND AND AND AND AN	TIO data se da se

	PORD.			INATES		(40-:	acre sub	VITHIN division		IIOIV.	TOWN -SHIP	RANG		BASE A MERID
	# , ,		(NA	D 27)	rayer, Verkaali Poliaalistuskoo	V.TY:					Orgin, S			
	(N 39 E 1,7	9,744 <u>14,5</u>	+' 92′	2.	SE	1/4 of	NLI!	4 3:	٤	TIIN	RIO	1 F	108
	2		9, 51 715, 2	_	2	SE	¼ of	иц :	4 3:	۷.	TIIN	R 101	٦٢	IDB \$
	·						1/4 of	. 1	/4					
1,	·						· ¼ of	}	4					
	See At.													
c. N	Name o: <i>CLO</i> V	f the po	ost off	ice most oft	en used b	y those	e living	near t	he propo	sed p	oint(s) of	f diversi	on:	
<u> </u>	JATER See Att	2000	J	OF THE SE THE #2	POND NO	NOK A	Kibs U			eve (1 FED I	39 A 5	PKÌA	K .
b. Is Co. In di. W	your pontrol I an aveoring what altercause	roject Board o rage y hich m ernate i water i	located during ear, do noths source s not a	d on a stream your proposes the stream ? Jan s of water a vailable for	sed seaso m dry up Feb M re availat appropri	n of di at any ar □ A ole if a ation? (ed to be version point of the portion (e.g., p	e fully	appropr YES Team of Jun Teque ing grou	iated l NO your j Jul f sted d	by the Sta project? I Aug III liversion iter, purch	YES Sep	□ N Oct I nust	IO If □ Nov be exc
b. Is Conc. In du d. W	your pontrol I an average with a literature version of the second	roject Board of rage y hich mernate water i use is achment	during ear, do nonths source s not a	your proposes the streat? I Jan I sof water a vailable for	sed seaso in dry up Feb Mire availab appropri	at any at any ar \(\sim \text{\tinx{\text{\tinx{\text{\tinx{\tint{\text{\tinx{\tinit}\exitinx{\text{\texi{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\ti}\tint{\text{\text{\text{\text{\text{\text{\text{\text{\text{\ti}\tint{\text{\text{\text{\text{\text{\texi{\text{\texi{\texi{\ticr{\tinit{\texi{\texi{\texi{\texi{\texi{\texi{\texi}\tirr{\texint{\texi{\texi{\texi{\texi{\tirit}\}\tint{\ti}\texi{\texi{\	ed to be version point of the portion (e.g., p	e fully	appropr YES Team of Jun Teque ing grou	iated l NO your j Jul f sted d	by the Sta project? I Aug III liversion iter, purch	YES Sep	□ N Oct I nust	IO If □ Nov be exc
b. Is Co. In du d. W	your pontrol I an average with a liter of the second secon	roject Board of rage y hich mernate water i use is achment	during ear, do nonths source s not a	your proposes the streat? I Jan I sof water a vailable for	sed seaso in dry up Feb Mire availab appropri	at any at any ar \(\sim \text{\tinx{\text{\tinx{\text{\tinx{\tint{\text{\tinx{\tinit}\exitinx{\text{\texi{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\ti}\tint{\text{\text{\text{\text{\text{\text{\text{\text{\text{\ti}\tint{\text{\text{\text{\text{\text{\texi{\text{\texi{\texi{\ticr{\tinit{\texi{\texi{\texi{\texi{\texi{\texi{\texi}\tirr{\texint{\texi{\texi{\texi{\texi{\tirit}\}\tint{\ti}\texi{\texi{\	ed to be version point of the portion (e.g., p	e fully	appropr YES Team of Jun Teque ing grou	iated l NO your j Jul f sted d	by the Sta project? I Aug III liversion iter, purch	YES Sep	□ N Oct I nust	IO If □ Nov be exc
b. Is Co. In du d. W be	your pontrol I an average with a lite cause view of the cause view	roject Board orage y hich mernate i water i LS Archment USE	locate during ear, do nonths source s not a	your proposes the streat? I Jan I sof water a vailable for	sed seaso in dry up Feb Mire availab appropri	n of diat any at any ar □ A ole if a ation? (ed to be version point of Apr portion portion (e.g., p	e fully	appropries	iated l NO your j Jul sted d indwa	project? Aug III	YES Sep season r hased w	Oct Inust ater,	IO If Nov be except.)
o. Is Co. In du	your pontrol I an average with the second of	roject Board orage y hich mernate i water i LS A chment USE VITHIN bdivisio	locate during ear, do nonths source s not a	your proposes the streat? Jan sof water a vailable for THAT 6	sed seaso in dry up Feb M re availab appropri	n of diat any far \(\sim A \) at any \(A \) ble if a ation? (\(\lambda \) ISHIP	ed to be version point of portion (e.g., p	e fully i? illing idownst May illing idoy idoy	appropries	iated l NO your j Jul sted d indwa	project? Aug III	YES Sep season r hased w	Oct Inustrater,	IO If Nov be exc etc.)
b. Is Concern In du di. When the Concern In	your pontrol I an average with a late of the cause of the	roject Board of rage y hich mernate water i LS Acchment USE VITHIN bdivisio	locate during ear, do nonths source s not a	your proposes the streat? Jan sof water a vailable for SECTION*	TOWN	n of diat any far \(\sim A \) A ble if a ation? (A TU A	ed to be version point of portion (e.g., p	e fully i? illownst May in of you ercolain NGE	BAS. MERII	iated l NO your j Jul sted d indwa	project? Aug Inversion ter, purch	YES Sep season r hased w	Oct I nust nust ater, YECH	IO If Nov be excepted.) ED tily culting
Is Control of the con	your pontrol I an average with a late cause with See Atta	roject Board of rage y hich mernate water i LS Acchment USE VITHIN bdivisio	locate during ear, do nonths source s not a	your proposes the streat? Jan sof water a vailable for THAT 6	sed seaso in dry up Feb M re availab appropri	n of diat any far \(\sim A \) A ble if a ation? (A TU A	ed to be version point of portion (e.g., p	e fully i? illownst May in of you ercolain NGE	appropries	iated l NO your j Jul sted d indwa	project? Aug III	YES Sep season r hased with the season r hased with the season r IF IRR es I	Oct I nust there, YECH	IO If Nov be exceetc.) ED tily culting ES ES
b. Is Control of the	your pontrol I an average with the second of	roject Board of rage y hich mernate water i LS Anchment USE WITHIN bdivisio	locate during ear, do nonths source s not a	your proposes the streat? Jan sof water a vailable for SECTION*	TOWN	n of diat any far \(\sim A \) A ble if a ation? (A TU A	ed to be version point of portion (e.g., p	e fully i? illownst May in of you ercolain NGE	BAS. MERII	iated l NO your j Jul sted d indwa	project? Aug Inversion ter, purch	YES Sep season r hased with the season r hased with the season r IF IRR es I	Oct I nust hater, YECH	ED ES
Is Control of the con	your pontrol I an average with the second of	roject Board of rage y hich mernate water i LS Anchment USE WITHIN bdivisio	locate during ear, do nonths source s not a	your proposes the streat? Jan sof water a vailable for SECTION*	TOWN	n of diat any far \(\sim A \) A ble if a ation? (A TU A	ed to be version point of portion (e.g., p	e fully i? illownst May in of you ercolain NGE	BAS. MERII	iated l NO your j Jul sted d indwa	project? Aug Inversion ter, purch	YES Sep season r hased with the ses I WAS I	Oct I nust nater, NECH	ED tily culting ES ES ES ES ES ES ES ES ES ES
b. Is Compared to the compared	your pontrol I an average with a late of the cause of the	roject Board of rage y hich mernate water i LS Anchment USE WITHIN bdivisio	locate during ear, do nonths source s not a wew no.	your proposes the streat? Jan sof water a vailable for SECTION*	TOWN	n of diat any far \(\sim A \) A ble if a ation? (A TU A	ed to be version point of portion (e.g., p	e fully i? illownst May in of you ercolain NGE	BAS. MERII	iated l NO your j Jul sted d indwa	project? Aug Inversion ter, purch	YES Sep season r hased with the ses I WAS I WAS I	Oct I nust nater, we will not I of I	ED tily culting ES ES ES ES ES ES ES ES ES ES
b. Is Control of the	your pontrol I an average with a late of the cause of the	roject Board of rage y hich mernate water i LS Anchment USE WITHIN bdivisio	locate during ear, do nonths source s not a well way.	your proposes the streat? Jan sof water a vailable for SECTION*	TOWN	n of diat any far \(\sim A \) A ble if a ation? (A TU A	ed to be version point of portion (e.g., p	e fully i? illownst May in of you ercolain NGE	BAS. MERII	iated l NO your j Jul sted d indwa	project? Aug Inversion ter, purch	YES Sep season r hased with the ses I WAS I WAS I	Oct I nust nater, we we will not in the contract of the contra	ED tily culting ES ES ES ES ES ES ES ES ES ES
b. Is Concern In du di. We be To Concern In	your pontrol I an average with the alter of the pontrol I an average with the alter of the pontrol I an average with the alter of the pontrol I an average with the alter of the pontrol I and the pontrol I an average with the pontrol I an average with the pontrol I and the pontrol I	roject Board of rage y hich mernate water i LS Anchment USE WITHIN bdivisio	locate during ear, do nonths source s not a wew no.	your proposes the streat? Jan sof water a vailable for SECTION*	TOWN	n of diat any far \(\sim A \) A ble if a ation? (A TU A	ed to be version point of portion (e.g., p	e fully i? illownst May in of you ercolain NGE	BAS. MERII	iated l NO your j Jul sted d indwa	project? Aug Inversion ter, purch	YES Sep season r hased with the ses I WAS I WAS I	Oct I nust nater, we have a finite of the control o	ED tily culting ES ES ES ES ES ES ES ES

SECTION B: MISCELLANEOUS DIVERSION INFORMATION

	CROP	ACRES	ea to be irrigate	FIRRIGATION		_ acres.				
		ACIOD		flooding, etc.)	WATER USE (Acre-feet/Yr.)	SEASON OF Beginning date (month & day)				
	GRAPES	9.0	ORIP IRRIGA	TION	5,523	MAY 15	00			
							<u> </u>			
	☐ See Attachment No.									
	b. = DOMESTIC: N		ices to be conved.	1 0		7				
	ranifiset of beoble	to be served:	Z Estin	mated daily use	per person is:	_1 YES ■ NO _ 75 ga	llons p			
7	Area of domestic Incidental domest	id Willia Editio	U113. Z (), () () ()	· somate te	PeT .					
`\	r ≡ STOCKWATE	DDIO, V. 1	(dust control :	area, number and kind	l of domestic animals,	etc.)	• •			
,	c. STOCKWATE Describe type of o	peration: Per	i stock: <u>- Goat</u> S	5	Maximum	number: 5	<u> </u>			
ŕ				(feedlot,	dairy, range, etc.)					
	d. RECREATION	AL: Type of r	ecreation: $\coprod F$	ishing 🏻 Swin	ıming 🏻 Boatir	g 🗆 Other				
f	D MUNICIPAL: POPULATI	ON	MAXIMUN	1 MONTH	el l'acceptant de l'inscendence de	a kanana kanana manana	ade. It. Wa			
ŀ	List for 5-year periods until	use is completed Population	Average daily use	Rate of diversion	Average daily use	and the second state of the second se				
-	Propert		(gallons per capita)	(cfs)	(gallons per capita)	Acre-foot (per capita)	To (acre			
-	Present									
-										
ŀ			· · · · · · · · · · · · · · · · · · ·		· · · · · · · · · · · · · · · · · · ·					
			· · · · · · · · · · · · · · · · · · ·							
7	See Attachment No.									
	Month of maximum					ring year:				
f.	☐ HEAT CONTRO	DL: Area to be	heat controlled:		_ net acres					
	Rate at which water	r is applied to u	se;	mm ner ser	e					
	Heat protection sea	son will begin	(month & day)	and end						
g.	- LKODI IKOID	CITON: Area	to be most brote	cted:	net acres	·	* .			
	Type of crops prote Rate at which water	is applied to u	se:	COM DAT OF	Te .					
	The frost protection	season will be	gin	and end						
٦.	☐ INDUSTRIAL:	Type of industr	ry:	ay)	(month & day)					
	☐ INDUSTRIAL: Basis for determina	tion of amount	of water needed							
	☐ MINING: Name	of the claim: _				□ Patented □] Unpa			
	☐ MINING: Name of the claim: ☐ Patented ☐ Unpate of the mine: ☐ Mineral(s) to be mined: ☐ Type of milling or processing: ☐ Patented ☐ Unpate of the mined: ☐ Type of milling or processing: ☐ Patented ☐ Unpate of the mined: ☐ Type of milling or processing: ☐ Patented ☐ Unpate of the mined: ☐ Type of milling or processing: ☐ Patented ☐ Unpate of the mined: ☐ Type of milling or processing: ☐ Patented ☐ Unpate of the mined: ☐ Type of milling or processing: ☐ Type of milling or processing or p									
	After use, the water in ¼ of	will be dischar	ged into				(water			
	M	% or Sec	tion,	T, R		_B. & M.				
	☐ POWER: Total if Maximum flow thro	ugh the penstor	·k·	.fc						
	Maximum theoretica	al horsepower c	apable of being	generated by th	e works (cfs x fall -	÷ 8.8):				
	Electrical capacity () After use, the water in ¼ of									
	,		~~~ ALICU				(mater			

I. OTHER: Describe use:

Basis for determination of amount of water needed:

	n win oc by gravity	by means of:	(dam ni	ne in unabetatet	ed chone	el nine through	dam, siphon, weir	gate etc.)
Diversio	n will be by pumpir	ng from: RESE		2 WITH 1	PUMP	LOCATED V	U BOTTOM OF	
Pump dis	scharge rate: 10 4A	Yain □ cfs o	or 🗆 gpd	(sump, off Horsepowe	iset well, er: <u>0</u>	channel, reserve	oir, etc) mp Efficiency	y: 74%
. Conduit f	rom diversion point		or to offst	ream storag	ge resei	rvoir:		
CONDUIT (pipe or	MATERIAL (type of pape or chann	NEW YORK AND THE RESERVE AND A STORAGE OF	CROSS-SE	CTION r ditch depth	LEN (fe		ΤΌΤΑL ΓOR FALL	CAPACI
channel)	indicate if pipe is burn		id top and boi	tom width)		feet		(cfs, gpd gpm)
<u> </u>			(inches o	feet)		Toot	0,1	·
					 			
					ļ			
☐ See Attachm	out Ma							
□ See Allachm	ent No							
. Storage re	servoirs: (For unde	erground stora	ge, comple	te and attac	h form	APP-UGS	ΓOR)	
RESERVOIR		DAM					RESERVOIR	
NAME OR	Vertical height from downstream	Construction	Length	Freeboa		Surface area	Capacity	Maximi
NUMBER	toe of slope to	material	(feet)	dam height spillway		when full (acres)	(acre-feet)	water de (feet)
1	spillway level (feet			(feet)		<u> </u>		<u> </u>
2	10.3'	EARTU	70'	2.5'		0.2	1.40	10.3
	<u> </u>	EARTH	100	3.0'		1,1	11.55	15
See Attachme	ent No						•	
7	NONE - OV	ER PLON S	(feet) PILL WA	e Cex	ISTÌW.	(feet)	(a	cre-feet)
2	HONE - OV	OR FLOW ?	PILLWA	the CEX	lsting istyng	<u>()</u>	(a	cre-leet)
	HONE - OV	tok flow s	PILLWA	ig (ex ig (ex	l≄Tì~ ì\$7γ̀~ς	<u>()</u>	(a	cre=teet)
See Attachme	nt No ill be stored and the	reservoir is no	SPILL WA	int of diver	is 73/24	r)	rate of diver	reion to of
See Attachme	HONE - OV	reservoir is no	SPILL WA	int of diver	is 73/24	r)	rate of diver	reion to of
See Attachme If water w stream sto	nt No ill be stored and the rage will be	reservoir is no cfs. Divers	ot at the posion to offs	int of diver	sion, the	ne maximum	rate of diver	rsion to of
See Attachme If water w stream sto ONSERVA What metho	nt No ill be stored and the rage will be ATION AND MO ods will you use to o	reservoir is no cfs. Divers	ot at the posion to offs	int of diver	sion, the	ne maximum l be made by	rate of diver	rsion to of
See Attachme If water w stream sto ONSERVA What metho	nt No ill be stored and the rage will be ATION AND MO ods will you use to come.	reservoir is no cfs. Divers	ot at the posion to offs	int of diver	sion, the	ne maximum I be made by	rate of diver	rsion to of
See Attachme If water w stream sto ONSERVA What metho	nt No ill be stored and the rage will be	reservoir is no cfs. Divers	ot at the posion to offs	int of diver	sion, the	ne maximum I be made by	rate of diver	rsion to of
See Attachme If water w stream sto ONSERVA What metho	nt No ill be stored and the rage will be ATION AND MO ods will you use to compare to compare the monitering.	reservoir is no cfs. Diversions of NEED	ot at the posion to offs	int of diverstream stora	sion, the ge will	ne maximum I be made by	n rate of diver v: Pumpin v: Pipen	rsion to of g Gra
See Attachme If water w stream sto ONSERVA What metho	nt No ill be stored and the rage will be ATION AND MO ods will you use to o ATS TIMEN TO MONITERING	reservoir is no cfs. Diversion to be su	ot at the posion to offs ? Explain STATE AND SU	int of diverstream stora TIMED FOR FA	sion, the ge will	ne maximum I be made by	rate of diver Pumpin Pipen Rune Nigh	rsion to of
See Attachme If water w stream sto ONSERVA What metho CAREFO How will ye wasting wat	nt No. ill be stored and the rage will be ATION AND MO ods will you use to compare to compare the c	reservoir is no cfs. Diversonserve water SIRIMAGE rersion to be sueter Period	ot at the posion to offs Pick was Explain Figure The you are lic samplin	int of diverstream stora	sion, the ge will see will see will see will see will see will see with see	ne maximum be made by	r right and yo	rsion to of g Gra
See Attachme If water w stream sto ONSERVA What metho CAREFO How will ye wasting wat	nt No ill be stored and the rage will be ATION AND MO ods will you use to o ATS TIMEN TO MONITERING	reservoir is no cfs. Diversonserve water SIRIMAGE rersion to be sueter Period	ot at the posion to offs Pick was Explain Figure The you are lic samplin	int of diverstream stora	sion, the ge will see will see will see will see will see will see with see	ne maximum be made by	r right and yo	rsion to of g Gra
See Attachme If water w stream sto ONSERVA What metho CAREFO How will ye wasting wat	nt No. ill be stored and the rage will be ATION AND MO ods will you use to compare to compare the c	reservoir is no cfs. Diversonserve water SIRIMAGE rersion to be sueter Period	ot at the posion to offs Pick was The posion to offs Explain Signary are you are lic samplin	int of diverstream stora	sion, the ge will see will see will see will see will see will see with see	ne maximum be made by	r right and yo	rsion to of g Gra
See Attachme If water w stream sto ONSERVA What metho TO FLA CAREFO How will you wasting wat NOT O	INDUE - OV Int No ill be stored and the rage will be ATION AND MO ods will you use to compare to compare the compare	reservoir is no cfs. Diversonserve water SIRIMAGE rersion to be sueter Period	ot at the posion to offs Pick was The posion to offs Explain Signary are you are lic samplin	int of diverstream stora	sion, the ge will see will see will see will see will see will see with see	ne maximum be made by	r right and yo	rsion to of g Gra
See Attachme If water we stream sto ONSERVA What method In PLA CAREFIL How will you wasting wat NOT OF A	INONE - OV Int No ill be stored and the rage will be ATION AND MO ods will you use to out the rage will be OUT MONITERING OU monitor your diviter? Weir MACCESS	reservoir is no cfs. Diversionserve water Period conserve water Pe	ot at the posion to offs Explain Explain Frequence	int of diverstream stora TIMED FAX FA Within the 1 g Other	sion, the ge will provide the second	ne maximum le made by IRRIGATI & ALL DE MARINE POR PROPERTIES AND A STILL DE MARINE STILL DE M	rate of diver	rsion to of
See Attachme If water w stream sto ONSERVA What method TO FLA How will you wasting wat wor of the approximation of the approximati	INDUST - OV Int No ill be stored and the rage will be ATION AND MO Ods will you use to compare with the rage will you use to compare with the rage will be a solution of the rag	e reservoir is no cfs. Diverson to be sue ter Period se resorted and where the a recorded ea	ot at the posion to offs ? Explain SETEN are you are lic samplin RING EG e water will sement or	int of diversities and storal storage	sion, the ge will ge w	ine maximum le made by IRRIGATION of your water ibe) IRRI O	rate of diver Pumpin Pipea 1 Rune Nigu r right and your series series Williams Series se	rsion to of g Gra
See Attachme If water we stream sto ONSERVA What method FOR FORM How will you wasting wat MOT OF A Does the ap If NO, I List the nar	INONE - OV Int No ill be stored and the rage will be ATION AND MO ods will you use to out the recommendation of the r	e reservoir is no cfs. Diverson to be sue ter Period se resorted and where the a recorded ea	ot at the posion to offs ? Explain SETEN are you are lic samplin RING EG e water will sement or	int of diversities and storal storage	sion, the ge will ge w	ine maximum le made by IRRIGATION of your water ibe) IRRI O	rate of diver Pumpin Pipea 1 Rune Nigu r right and your series series Williams Series se	esion to of g Gra
See Attachme If water we stream sto ONSERVA What method FOR FORM How will you wasting wat MOT OF A Does the ap If NO, I List the nar	INONE - OV Int No ill be stored and the rage will be ATION AND MO ods will you use to out the recommendation of the r	e reservoir is no cfs. Diverson to be sue ter Period se resorted and where the a recorded ea	ot at the posion to offs ? Explain SETERATE AND SO are you are lic samplin RING EG e water will sement or ffected land	int of diverse tream stora TIMED FAX FAX Within the lig Other PUNDMENT I be diverte written auth downers an	sion, the ge will state distate	ne maximum be made by IRRIGATION AND TO STILL DESPORTED AND SPORTED AND SPORTE	rate of diverse Pumping Pipes 1 Rung Nigg r right and your services services services services are being taken to the services are being taken to the services serv	esion to of g Gra
See Attachme If water w stream sto ONSERVA What method for the first stream sto How will you wasting wat the first stream sto GHT OF A Does the application of the first stream sto List the narraccess:	INDUSTRALE ATION AND MO Ods will you use to compare to compare the compare t	e reservoir is no cfs. Diverson to be sue ter Period so resorted and where the a recorded eadresses of all a	ot at the posion to offs ? Explain SETERATE AND SO are you are lic samplin RING EG e water will sement or ffected land	int of diverse tream stora TIMED FAX FAX Within the lig Other PUNDMENT I be diverte written auth downers an	sion, the ge will state distate	ne maximum be made by IRRIGATION AND TO STILL DESPORTED AND SPORTED AND SPORTE	rate of diverse Pumping Pipes 1 Rung Nigg r right and your services services services services are being taken to the services are being taken to the services serv	esion to of g Gra
See Attachme If water we stream sto ONSERVA What method FOR FORM How will you wasting wat MOT OF A Does the ap If NO, I List the nar	INDUSTRALE ATION AND MO Ods will you use to compare to compare the compare t	e reservoir is no cfs. Diverson to be sue ter Period so resorted and where the a recorded eadresses of all a	ot at the posion to offs ? Explain SETERATE AND SO are you are lic samplin RING EG e water will sement or ffected land	int of diverse tream stora TIMED FAX FAX Within the lig Other PUNDMENT I be diverte written auth downers an	sion, the ge will state distate	ne maximum be made by IRRIGATION AND TO STILL DESPORTED AND SPORTED AND SPORTE	rate of diverse Pumping Pipes 1 Rung Nigg r right and your services services services services are being taken to the services are being taken to the services serv	esion to of g Gra
See Attachme If water we stream sto ONSERVA What method In PLA CAREFORM How will you wasting wat AOT OF A Does the ap If NO, I D List the nar access:	Il be stored and the rage will be ATION AND MO ods will you use to one of the rage will be Description of the rage will be ATION AND MO ods will you use to one of the rage will be ATION AND MO ods will you use to one of the rage will be ou monitor your divitor? Weir Mo ACCESS oplicant own all the loo of do not have mes and mailing add No.	reservoir is no cfs. Diversonserve water Period conserve water Period conserve water resion to be suggested as recorded earliersses of all a	ot at the posion to offs Picc was The posion to offs Picc was	int of diverse tream stora TIMED FACE Within the lig Other OTHER OTHER I De diverte written auth downers and	sion, the ge will state distate	ne maximum be made by IRRIGATION AND TO STILL DESPORTED AND SPORTED AND SPORTE	rate of diverse Pumping Pipes 1 Rung Nigg r right and your services services services services are being taken to the services are being taken to the services serv	esion to of g Gra
See Attachme If water we stream sto ONSERVA What method If water we stream sto ONSERVA What method If water we stream sto ONSERVA What method If water we stream sto If water we stream sto ONSERVA What method If water we stream sto	INO	reservoir is no cfs. Diverson to be sueter Period conserve water Period conserve water resion to be sueter recorded earliesses of all a	ot at the posion to offs Pick was TED FILL Pick was Pick was TED FILL Pick was	int of diverse tream stora TIMED FACE Within the gall Other PULP MENT I be diverte written auth downers and	sion, the ge will state distate	ne maximum be made by IRRIGATI A PO A P	r right and your seed? You was your access.	esion to of g Gra
See Attachme If water we stream sto ONSERVA What method If water we stream sto ONSERVA What method If yes and y	Ill be stored and the rage will be	reservoir is no cfs. Diversion to be sueter Period	ot at the posion to offs Picc was ot at the posion to offs Picc sion to offs Picc sion to offs Picc sion to offs Picc sampling Picc sa	int of diverse tream stora TIMED FOR FAR Within the lig Other PURP MENT I be diverte written auth downers and the water seems treation.	sion, the ge will ge w	ne maximum be made by IRRIGATION AND PROPERTY OF YOUR WATER STILL DESPORTED AND AND AND AND AND AND AND AND AND AN	r right and your services of diverse of diverse of the services of the service	esion to of g Gra
See Attachme If water we stream sto ONSERVA What method FOR AND PROPERTY How will you wasting wate GHT OF A Does the ap If NO, I List the narraccess: See Attachment See Attachment ISTING V Do you claim If YES, pleas Percolati	INO	reservoir is no cfs. Diverson to be sueter Period conserve water Period conserve water Period conserve water Period conserve a recorded earliesses of all a contract Pre-	ot at the posion to offs Explain Explain Figure AND SO THE MANNER THE MA	int of diverse tream stora TIMED FACE Within the lig Other PULP MENT I be diverte written auth downers and the water seems to the water seems	sion, the ge will ge w	ine maximum be made by the made by this apple Permit	r right and your seed? Type you will you will be access. The being take ication? If you will be accessed.	esion to of g Gra FIRECT FOU are not FIRECT ES INC En to obtain

3.

4.

5.

	water diversion and use, if applicable.	
		
	c. List any related applications, registrations, permits, or licenses located in the proposed place of use or utilize the same point(s) of diversion.	that
	☐ See Attachment No.	
6.	OTHER SOURCES OF WATER Are you presently using, or do you intend to use, purchased water or water supplied by contract in connec with this project? Yes No If yes, please explain:	tion
7.	MAP REQUIREMENTS The Division cannot process your application without accurate information showing the source of water as location of water use. You must include a map with this application form that clearly indicates the townsh range, section and quarter/quarter section of (1) the proposed points of diversion and (2) the place of use. of a U.S.G.S. quadrangle/topographic map of your project area is preferred, and can be obtained from spongoods stores or through the Internet at http://topomaps.usgs.gov. A certified engineering map is required v(1) appropriating more than three cfs by direct diversion, (2) constructing a dam which will be under the jurisdiction of the Division of Safety of Dams, (3) creating a reservoir with a surface area in excess of ten (4) appropriating more than 1000 acre-feet per annum by underground storage. See the instruction bookle more information. See Attachment No.	iip, A copy ting when
	SECTION C: ENVIRONMENTAL INFORMATION	
Env prej dete asso que	Before a water right permit may be issued for your project, the State Water Resources Control Board (SV to consider the information contained in an environmental document prepared in compliance with the Californian CEQA (CEQA). This form is not a CEQA document. If a CEQA document has not yet be ared for your project, a determination must be made of who is responsible for its preparation. If the SWRC mined to be responsible for preparing the CEQA document, the applicant will be required to pay all costs ciated with the environmental evaluation and preparation of the required documents. Please answer the fol tions to the best of your ability and submit with this application any studies that have been conducted regard movironmental evaluation of your project.	rnia en CB is
1.	COUNTY PERMITS a. Contact your county planning or public works department and provide the following information:	
	Person contacted: UNKNOWN - COUR OFFICE STAFF Date of contact: JULY 2005	
	County Zoning Designation:	
	Are any county permits required for your project? YES NO If YES, check appropriate box below Grading permit Use permit Watercourse Obstruction permit Change of zoning General plan change Other (explain): BOTH PARTY WEEE CONSTRUCTED PRIOR TO PARTY DESCRIPTION OF	
	b. Have you obtained any of the required permits described above? YES NO MAYS EXISTED MAY If YES, provide a complete copy of each permit obtained. See Attachment No	
2.	STATE/FEDERAL PERMITS AND REQUIREMENTS a. Check any additional state or federal permits required for your project: □ Federal Energy Regulatory Commission □ U.S. Forest Service □ U.S. Bureau of Land Managemen □ U.S. Corps of Engineers □ U.S. Natural Res. Conservation Service □ Calif. Dept. of Fish and □ State Lands Commission □ Calif. Dept. of Water Resources (Div. of Safety of Dams) □ Calif. Coastal Commission □ State Reclamation Board □ Other (specify)	ent Same
	For each agency from which a permit is required, provide the following information:	
ļ	AGENCY PERMIT TYPE PERSON(S) CONTACTED CONTACT DATE TELEPHONE NO.	
ľ		
I	□ See Attachment No	

	C	Does your proposed project involve any construction or grading-related activity that has significantly altered or would significantly alter the bed, bank, or riparian habitat of any stream or lake? YES NO
		If YES, explain:
	d	☐ See Attachment No Have you contacted the California Department of Fish and Game concerning your project? ☐ YES ► NO If YES, name and telephone number of contact:
3.	. E	ENVIRONMENTAL DOCUMENTS
	a	Has any California public agency prepared an environmental document for your project? YES NO If YES, submit a copy of the latest environmental document(s) prepared, including a copy of the notice of determination adopted by the California public agency. Public agency:
	d	If NO, check the appropriate box and explain below, if necessary:
		The applicant is a California public agency and will be preparing the environmental document *
		■ 1 expect that the SWRCB will be preparing the environmental document ** IF Prepare 150
		I expect that a California public agency other than the State Water Resources Control Board will be
		preparing the environmental document.* Public agency: See Attachment No.
		* Note: When completed, submit a copy of the <u>final</u> environmental document (including notice of determination) or notice of exemption to the SWRCB, Division of Water Rights. Processing of your application cannot proceed until these documents are submitted.
		** Note: CEQA requires that the SWRCB, as Lead Agency, prepare the environmental document. The information contained in the environmental document must be developed by the applicant and at the applicant's expense under the direction of the SWRCB, Division of Water Rights.
4.	137	ASTE/WASTEWATER
7.	a.	
		Will your project, during construction or operation, (1) generate waste or wastewater containing such things as sewage, industrial chemicals, metals, or agricultural chemicals, or (2) cause erosion, turbidity or sedimentation? If YES, or you are unsure of your answer, explain below and contact your local Regional Water Quality Control Board for the following information (See int. 1).
		Sound for the following information (See instruction booklet for address and telephone no.):
		☐ See Attachment No
	ъ.	Will a waste discharge permit be required for your project? YES NO
		Letson contacted,
	c.	What method of treatment and disposal will be used? Now - NO WASTE WATER WILL BE
		□ See Attachment No
5.		RCHEOLOGY
э.		
	b.	Have any archeological reports been prepared on this project? TYES NO
	c,	Will you be preparing an archeological report to satisfy another public agency? YES NO Do you know of any archeological or historic sites leaved by the satisfy another public agency?
		Do you know of any archeological or historic sites located within the general project area? YES NO If YES, explain:
		□ See Attachment No
6.	EN	VIRONMENTAL SETTING
	Atta	ich three complete sets of color photographs, aleerke det de la dela de
		ich three complete sets of color photographs, clearly dated and labeled, showing the vegetation that exists are following three locations:
		Along the stream channel immediately downstream from the annual and a second se
		To the output of the fill little litt
		At the place(s) where the water is to be used. See Attachment No. 2 THEOUSE 9
	,	THEOUSE 7

SECTION D: SUBMITTAL FEES

Calculate your application filing fee using the "Water Right Fee Schedule Summary" that was enclosed in the application packet. The "Water Right Fee Schedule Summary" can also be viewed at the Division of Water Rights' website (www.waterrights.ca.gov).

A check for the application filing fee, payable to the "Division of Water Rights" and an \$850 check for the Streamflow Protection Standards review fee [Pub. Resources Code § 10005(a)], payable to the "California Department of Fish and Game," must accompany this application. All applicable fees are required at the time of filing. Your application will be returned to you if it is not accompanied by all required fees.

SECTION E: DECLARATION AND SIGNATURE

I declare under penalty of perjury that all information provided is true and correct to the best of my knowledge and belief. I authorize my agent, if I have designated one above, to act on my behalf regarding this water right application.

OWHER Title or Relationship nunu Title or Relationship



"APPLICATION TO APPROPRIATE WATER" CHECKLIST

Before you submit your application, be sure to:

- Answer each question completely in Sections A, B, and C.
- Number and include all necessary attachments.
- Include a legible map that meets the requirements discussed in the instruction booklet (Item B6).
- Include the Water Availability Analysis or sufficient information to demonstrate that there is reasonable likelihood that unappropriated water is available for the proposed appropriation (Item A6).
- Include three complete sets of color photographs of the project site (Item C6).
- Enclose a check for the required fee, payable to the Division of Water Rights, as specified in Section D. 🗸 👝 🥗
- Enclose a \$850 check for the Streamflow Protection Standards review fee, payable to the Department of Fish and Game, as specified in Section D.
- Sign and date the application in Section E.

Send the original and one copy of the entire application to:

State Water Resources Control Board Division of Water Rights P.O. Box 2000 Sacramento, CA 95812-2000

2005 JUL 31 PM 12: 38

Matthe Caron

O'Connor

No. 6847

TOP DAVIS

Water Availability Assessment

Unnamed Stream Tributary to Barrelli Creek Thence Russian River. SE 1/4 of NW 1/4, Projected Section 32, T11N, R10W, MDB&M Sonoma County near Asti

Prepared for:

Brent E. and Elizabeth S. Nelson 65 Idora Ave San Francisco, California 94127

Prepared by:

Matthew O'Connor, PhD, PG #6847

Michael Sherwood, BS

O'Connor Environmental, Inc.

P.O. Box 794

Healdsburg, California 95448

June 26, 2006

Introduction

As is required by section 1260(k) of the California Water Code, we conducted a hydrologic assessment of the watershed draining to the reservoirs on your property in the Russian River watershed west of Asti in Sonoma County. The purpose of the assessment was to evaluate the availability of unappropriated water. Following is a summary of this assessment. Attached is a copy of documentation provided by the California Department of Water Resources describing the location and footprint of the reservoir facilities on your property.

Methods

Water availability was estimated as per "Suggested Methodology for a 1260(K) Analysis" (Appendix). The following equation was used:

$$Q_E = Q_I - Q_O$$

where Q_E is estimated available surface water, Q_I is estimated runoff, and Q_O is maximum reservoir storage. The value of Q_I is estimated as the product A C P where A is the area of the watershed in acres, C is a runoff coefficient determined from watershed characteristics, and P is average annual precipitation in feet.

Three separate drainage basins were delineated using USGS topographic maps to analyze all related watersheds associated with the property (see Figure 1). Drainage A consists of the approximate 22.5 acre area draining into the main reservoir on the Nelson property (node A). Drainage B, which has the second largest contributing area, contains Drainage A and extends south encompassing approximately 315 acres. The Gallo Vineyards Inc reservoir is located to the east just above Node B. The largest drainage (738 acres), Drainage C, contains both Drainages A and B and encompasses the headwaters of Barrelli Creek about 2 miles to the south of the property. Node C is located at the confluence of Barrelli Creek with the unnamed creek on the Nelson property.

To determine the runoff coefficient (C) four watershed characteristics were considered: Topography, Soil Saturation, Vegetal Cover and Surface water (see "Attachment for 1260(k) Analysis Runoff Coefficient "C" for Undeveloped Areas" in the Appendix). Among these factors, soil saturation was the most variable between the different drainages. Each drainage includes a number of soil types with differing characteristics. Soils information was found using the Sonoma County Soil Survey (Miller 1972). Changes in soil type as well as slope were noted between the upper and lower reaches of the two larger drainages. This prompted us to divide the upper and lower reaches and assign appropriate Soil Saturation and Topography values. Average conditions were determined using weighted percents according to the area of each drainage. The remaining characteristics, Vegetal Cover and Surface water, were found to be consistent throughout all of the watersheds. This was determined **TerraServer** on photographs found **USGS** aerial of help with the (http://terraserver.microsoft.com) and in the Sonoma County Soil Survey Sheet 20 (Miller 1972).

The average annual precipitation value, 40.67inches/year (3.4 feet/year) was taken from yearly precipitation data collected at the Russian River Near Healdsburg gauging station (CDWR 2006).

According to the California Division of Water Rights Qwery tool (WRMIS) two water rights applications exist currently for locations within the watershed. The smaller of the two is for Luigi P Muzzin (application # A029372); maximum storage is 13 acre feet during a diversion season from 11/15 through 4/15. Initially, this diversion was believed to be a previous application located on the Nelson property and was included in the water availability calculations. However, according to the Nonpermitted Reservoir Inspection Map (Appendix) as well as the property owner Brent Nelson, the mapped location on the Water Rights website is erroneous The correct location is over the ridge immediately to the northwest of the Nelson property (Pers. Comm. Nelson, 2006). The Muzzin diversion therefore has no affect on any of the drainages investigated in this study and can be ignored in the calculations. The water rights for Gallo Vineyards Inc. (application # A029616) includes two locations for its total maximum storage of 400 acre feet with a diversion season from 10/15 to 5/15. One Gallo reservoir is located on a tributary of Barrelli Creek within Drainages B and C and the other is located outside of the Barrelli Creek study area. It is not known if water is diverted from Barrelli Creek to the reservoir located outside of the drainage. The storage capacity for each reservoir in not known. We used 400 acre feet as the maximum storage for the Gallo Vineyards Inc. application for purposes of this assessment.




Figure 1. Map of Study Area west of Asti, Sonoma County showing drainage basins A, B and C. Drainage nodes (dots) for each basin labeled accordingly.

Results

Calculations for estimated inflow to each drainage resulted as follows:

Drainage A: Q_I = 31 Acre Feet/Year Drainage B: Q_I = 460 Acre Feet/Year Drainage C: Q_I = 1074 Acre Feet/Year

There are no other permit applications on record in Drainages A, hence $Q_E = Q_I = 31$ ac-ft for this drainage. The estimated available surface water (Q_E) for Drainage B is 60 ac-ft $(Q_I) = 460$ ac-ft less the Gallo Vineyard Inc. water right application A029616, with maximum storage (Q_O) of 400 acre feet). The estimated available surface water (Q_E) for Drainage C is estimated to be 674 acre feet/year, taking into account the Gallo Vineyard Inc. water right application A029616, with maximum storage (Q_O) of 400 acre feet.

Previous analyses by O'Connor Environmental, Inc. (OEI) of annual stream flow and annual precipitation for central Russian River tributaries (Big Sulphur Creek, USGS Gauge #114 63170 and Franz Creek, USGS Gauge #11463940) with terrain, climate, vegetation and soils similar to Barrelli Creek estimated a higher runoff coefficient (C), (0.55 versus 0.435) using the DWR method. In the OEI study, USGS streamflow records and annual rainfall records were analyzed to estimate mean annual runoff per unit watershed area. Alternative calculations of Q_I using the runoff coefficient determined from gauge records by OEI were made for comparison. Results for these calculations were:

Drainage A: Q_I = 42 Acre Feet/Year Drainage B: Q_I = 587 Acre Feet/Year Drainage C: Q_I = 1357 Acre Feet/Year

The estimated available surface water (Q_E) for Drainages B and C increased to 187 and 957 acre feet per year respectively

Conclusions

The results of the calculations for estimated available surface water using the rational runoff method show $Q_E=31$ acre feet per year is available for the 22.5 acre contributing area for drainage node A. If the higher runoff coefficient determined by OEI is used, an even greater supply of 42 acre feet per year would be available.

References

California Department of Water Resources, http://cdec.water.ca.gov/cgi-progs/staMeta?station_id=HEA.

Miller, V. C. (1972). Soil survey, Sonoma County, California. Washington DC, USDA Forest Service and Soil Conservation Service, In cooperation with Agricultural Experiment Station, University of California: 188, 123 p. illus.

Nelson, Brent (2006). Personal Communication via telephone, June 20, 2006


APPENDIX

SWRCB Nonpermitted Reservoir Inspection Map

Suggested Methodology for a 1260(K) Analysis

and

Big Sulphur and Franz Creek Runoff Coefficient Calculations



ATTACHMENT item No. 6, Water Availability in Application to Appropriate Water SUGGESTED METHODOLOGY FOR A 1260(K) ANALYSIS The contents of an application to appropriate water are identified in section 1260 of the California Water Code. Eleven criteria are specified in the code, the last of which, section 1260(k), requires a demonstration that there is a reasonable likelihood that unappropriated water is available for the proposed appropriation. Historically, the Division of Water Rights (Division) accepted and processed applications with only minimal information regarding the availability of water, such as observations of seasonal flow conditions. Recent changes in Division practices now require the applicant to perform a more rigorous evaluation of the potential water availability to address the requirements of Water Code, section 1260(k). Any applicant seeking to appropriate water has two alternatives for addressing the

requirements of Water Code section 1260(k): 1) contract with a consultant to perform the analysis, or 2) perform an in-house analysis. An applicant may use the following procedure for an in-house analysis.

The provided for an inchouse, 1260(k) analysis is a simple water balance methodology where available surface water can be estimated by evaluating the inflow to the watershed, less the outflow from the watershed, or:

... = Q1 - Q0

Where:

E = Estimated reasonable likelihood that unappropriated water is available for the proposed appropriation:

Surface water flow into the watershed considering the area, characteristics, and precipitation in the watershed; and

O = Water outflow from the watershed as defined by existing water rights on record at the Division.

inflow to the watershed may be estimated using the following equation:

Q = ACP

Where:

Q_i = Surface water flow into the project watershed in acre-feet per year;

A = Area of the watershed in acres;

C = Runoff coefficient (no units) as taken from the ettached table; and

P = Average annual precipitation in feet per year.

The surface area of the watershed, where the project is proposed or located, should be determined using a U. S. Geologic Survey (USGS) topographic map. The applicant should consider upstream and downstream tributaries to the surface water source for the project when evaluating the area of the watershed. USGS topographic maps are available for viewing at the Division.

A runoff coefficient can be assigned to the project watershed based the type of watershed characteristics (topography, soil saturation, vegetal cover, and surface water), each of which has been assigned a range of values. The range of values is subdivided based on watershed type, as provided in the table. The selected values for each watershed characteristic must be summed to determine the runoff coefficient for the project watershed.

The precipitation for the project watershed should be determined using average annual rainfall as taken from an appropriate gauging station(s). Rainfall data may be obtained off the internet at: http://cdec.water.ca.gov/snow_rain.html. Precipitation data is typically estimated using data from the gauging station closest to the project area.

Outflow to the watershed may be quantified by determining the flow of water previously dedicated to or taken by existing water right holders. This may be accomplished in one of three ways:

- 1. Identify the existing downstream water right holders by the application number on USGS topographic maps at the Division. Determine the quantity assigned to each application by viewing the case files of those applications identified on the maps;
- Identify the existing downstream water right holders by the application number and the quantity of water taken by these applicants using the Division's on-line database through the Water Rights Query Tool, which can be found at: http://www.waterrights.ca.goy/; or
- 3. Make a hydro-report request of Division staff to determine the number and the amount of water taken by existing water right holders. This service costs \$250 per hour, and the typical hydro-report usually takes one hour to prepare. A hydro-report request form can be obtained by contacting Cathy Nease at (916) 322-8465.

The value derived from the watershed inflow/outflow calculation, as described above, provides an estimate of the amount of water potentially available for appropriation. If the estimated available water ($Q_{\rm E}$) is a positive value, the applicant should assume there is a respective likelihood that unappropriated water is available for appropriation, and the applicant's inches complysis should be included in the application as an amendment for item No. 6. If the estimated available water ($Q_{\rm E}$) is a negative value, which suggests water is unavailable for appropriation, the applicant could revise the in-house analysis or could contact a consultant to perform the 1280(k) analysis.

144-4	Waterehed Types								
Watershed	Extreme	High	Normal	Low					
Characteristics	0.28 - 0.35	0.20 - 0.28	0.14 - 0.20	0.08 - 0.14					
Topography	Steep, rugged terrain with average slopes above 30%	Hilly, with average slopes of 10 to 30%	Rolling with average slopes of 6 to 10%	Relatively flat land, with average slopes of 0 to 5%					
	0.12 - 0.16	0.08 - 0.12	80.0 - 80.0	0.04 - 0.06					
Soil Saturation	No effective soil cover; either rock or thin soil mantle of negligible infiltration capacity	Slow uptake of water; clay or loam soil of low infiltration capacity; imperfectly or poorly drained	Normal; well- drained, high or medium-textured soils, sandy loams, silt and silty loams	High; deep sand or other soil that takes up water readily, very high level drained soils					
	0.12 - 0.16	0.08 - 0.12	0.08 - 0.08	0.04 - 0.08					
Vegetal Cover	No effective plant cover, bare, or very sparse cover	Poor to fair; clean cultivation crope, or poor naturel cover, less than 20% of drainage area over good cover	Fair to good; about 50% of area in grassland or woodland, not more than 50% of area in cultivated crops	Good to excellent; about 90% of drainage area in grassland, woodland or with equivalent cover					
	0.10 ~ 0.12	0.08 - 0.10	, 0.06 – 0.08	0.04 0.06					
Surface Water	Negligible surface depression few and shallow; drainage ways steep and small, no marshes	Low; vary well defined system of drainage ways; no ponds or marshas	Normal; considerable surface depression atorage, lakes and pend marshes	High; surface storage high; drainage system sharply defined, large floodplain storage or large number of pondimarshes					

The runoff coefficient "C" for a project in an undeveloped area may be identified as the sum of values given to specific characteristics of the watershed. To determine "C," select a value from the range of values assigned to the watershed type for each characteristic, and add the selected values.

Example: The characteristics of the watershed consist of:

- 1) Hilly terrain with average slope of 15%, (topography) = 0.25
- **⇒ 0.11** = 0.07
- 2) Well-drained gravelly loams, (soil saturation)
 3) Planted with grapes, and (vegetal cover)
 4) Low, well-defined drainage (surface water) = 0.09
 - Total = 0.52

The runoff coefficient for the example watershed is 0.52.

Source: California Denartment of Transportation, Highway Design Manuel, July1, 1995, pp. 810-816.

HNG	#rrsdam	ur	Otemede sues:			MAP:		ш√уг	31536000	sec/yr	
				321995520	ft2		5.83				
		****	***			runolf ratio.		MAPIN	Lize		
year		MAQ (fi3/s)	•			adjusted rainfo		ratio			
	1981						8.52				
	1982						8.41	.p.65			
	1983						15.16	0.66			
	1984						4.65	0.43			
	1985					46.3	3.86	0.36			
	1966				47.58	92.3	7.69	0.84			
	1987			2.99	40.56	78.7	6.56	0.46			
	1988		536112000	1.66	23.33	45.3	3.77	0.44			
	1989		760017600	2.36	26.09	50.6	4.22	0.58			
	1990		573955200	1.78	20.23	39.2	3.27	0,55			
	1991			2.68	5.8	11.3	0.94	2.86	`		
	1992		1072224000	3.33	17.93	34.8	2.90	V.15)		
	1993		1769169600	5.49	44.78	86.9	7.24	0.76			
	1994	13	409968000	1.27	31.5	61,1	5.09	0.25			
	1995	104	3279744000	10.19	72.52	140.7	11.72	0.87			
	1996	70.7	2229595200	6.92	60.01	116.4	9.70	0.71			
	1997	31.9	1005995400	3.12	37.06	71.9	5.98	0.52			
	1998	59	1860624000	5.78	48.06	93.2	7.77	0.74			
	1999	36.2	1141603200	3.55	32.72	63.5	5.29	0.67			
	2000	38.6	1217289600	3.78	35.44	68.8	5.73	0.66	24	1.44.64	
	2001	32.4	1021766400	3.17	49.33	95.7	7.98	0.40	- 14.	4	er v [*] l _a , μ [*] _e .
			Average	4.18	•	2000	6,50	0.579	ratio.	Carles Mil	- 11 -
Fran	z Cree	:k	Drainage area;			MAP:	45	in/yr			
				423403200	fi2		3.75	ft É	av	erage ratio:	~ 0:5 97~~
						runoff ratio:		MAP-last	25	_	
Year		MAQ (fl3/s)	,			edjusted rai fe	et ```	riekto			
	1964	18.5	583416000		35,77	40.4	3.37	0.41			
	1965	22.6	712713600	1.68	29.8	33.7	2.81	0.60			
	1966			1.97	31.32		2.95	0.67			
	1967	29.3	924004800	2.18	41.75	47.2	3.93	0.56			
			Average	1.80			3.26	0.558	not and	hara Baran	الرززا

MAP "/yr fi Cloverdale 36 3 Cellistoga 40 3.33

> > slielog